
PETITIONER'S EXHIBIT #47 10/27/07 letter from Don Horgan

Rosemary M. Jones Official Court Reporter #317 420 West Hale Ave. Osceola, AR 72370-2532 870-563-2007





Forensic Pathology and Toxicology 23001 Greater Mack St. Clair Shores, Michigan 48080

Phone: (586) 776-2060 Fax: (586) 776-8722

Diane L. Lucke, B.S. Administrative Assistant/Office Manager

E-mail: wuspitz@aol.com

October 12, 2007

TO:

Donald Horgan

FROM: Werner Spitz

PLEASE NOTE:

Subcutaneous hemorrhage was found in Byers 331/93 slides numbered 1 and 17 and in slide number 2 with no name, labeled: AR State Crime Lab RC1

Ten (10) microphotographs are enclosed. These illustrate disruption of tissue, bacterial growth, early decomposition, and foreign bodies of vegetal and possibly some of insect origin.

The presence of these foreign bodies in the depth of the tissues, without evidence of hemorrhage, indicates that they were introduced into the tissue after death, most likely by repeated bites by large carnivorous animals, consistent with the appearance of the injuries on the body surface as documented in the postmortem photographs.

Byers 331/93

1	2 sections of skin with thin layer of	epidermal keratin and	sparse hair follicles.
	One of the sections has 2-3 mm of	fresh hemorrhage in si	ubcutaneous fat.
	*		
		, 1	-
			2
*			
2	Skin with epidermal keratin. Hair gro	wth No injury No Par	thological changes
			inological changes.
:30	sections.		
			*
	The second second	20	
	#	y T	
3	Skin with epidermal keratin. Hair gro	wth. No injury. No Pat	hological changes, 2
	sections.	2	7
	Coolons.		10.
	^ DM gr		*
	*	*	*
r	Clain with and a second	The second second	2 0
	Skin with epidermal keratin. Hair grov	wth. No injury. No Patl	nological changes. 2
	sections.		4

5. Rectum with 2 lymph nodes. No injury, no pathological changes.

Byers 331/93

				0.00		
6.	Rectum with surface mucosal n	acroeie l	No iniume N	la nathala		
	Tanada madaan n	CC10313. 1	vo injury. I	o patrioto	gicai chai	nges.
		a.			-	
				4	×	
	*			10		
7	Rectum unremarkable				-	
	2.				**	
	9					
			ž.			
8	Skin with thin keratin layer, swea	et alanda	no bais s			•
	Mar ann Rojadin layer, Swee	at gianus,	no nair, n	o nemorrr	iage, no ii	njury or
	nathological shapes	WI	41		*	
	pathological changes.				*	6
		2 5	KI.			
422					*	41
9	Skin same as 8 with one area of	disrupted	l epidermis	without a	ssociated	i
	hemorrhage, postmortem injury.	(Photogr	aph)		18	
				N 8		42.
-				5		
10	Skin with snarse hair follicles no	inium, na	noth-l:			
	Skin with sparse hair follicles, no	injury, no	paurologi	cai chang	es. (could	be from
	scrotum)	9		31		
	scrotum		14			
	i s i			×		
		- 12			*	
			14			
1	Skin with sparse hair follicles, no i	njury, no	pathologic	al change	es. (could	be from
			N77			.5
	scrotum)					*

- Disrupted, unidentifiable eosinophilic tissue with clusters of bacteria and superficial debris. Center has faint basophil (bluish) discoloration. More debris in depth of slide. Material in slide is generally thin strands of wavy tissue devoid of nuclei. Some of the debris suggests vegetal origin. Overall necrotic subcutaneous tissue. (Photograph)
- Skin with unidentifiable foreign bodies on surface and within epidermis at one edge of slide. Hairy, necrotic subcutaneous tissue with focal foreign material incorporated in surface. (Photograph)
- 14 Skin with sparse hair growth. Disrupted epidermis (focal) without hemorrhage.
- Skin. Unidentifiable granular foreign body in subcutaneous fat and fibro-adipose tissue. Some of the foreign bodies may be of vegetal origin, some may be from insect. Wound in surface shows no hemorrhage but extensive bacterial overgrowth. (Photograph)

Byers 331/93

- 16 Hairy skin with epidermal disruption without hemorrhage
- 17 Fresh hemorrhage in subcutaneous fibrofatty and muscular tissue. No epidermis.
- Fibromuscular and fatty subcutaneous tissue with unidentified deep seated circular foreign body. No hemorrhage. (Photograph)
- 19 Fibromuscular and fatty subcutaneous tissue. No epidermis

Branch

- Skin, sparse hair. No injury. No pathological changes.
- 2 Skin, sparse hair. No injury. No pathological changes.
- 3 Skin, sparse hair. No injury. No pathological changes.
- 4 Skin. No hair growth. No injury. No pathological changes.
- 5 Penile skin, with corpus cavernosum. No injury.
- 6 Perineum, penile skin, with corpus cavernosum. No injury.
- 7 Congested skin, possibly perineal and penile. No injury. No pathological changes.

Branch

- 8 Perineal skin with subcutaneous fat and skeletal muscle. No injury. No pathological changes.
- 9 Perineal skin with subcutaneous fat and skeletal muscle. No injury. No pathological changes.
- 10 Pre-pubertal testis, 2 sections. No injury. No pathological changes.

Skin with subcutaneous fat. No injury. No pathological changes. Sparse hair growth.

Unidentified origin

- 2 Skin with sparse hair growth. Abundant fresh hemorrhage in subcutaneous fat.
- 3 Skin, sparse hair. No injury. No pathological changes
- 4 Skin, sparse hair. No injury. No pathological changes.
- 5 Skin from perineum including anus. No injury. No pathological changes.
- 6 Perineum. No injury. No pathological changes.
- 7 Pre-pubertal testis. No injury. No pathological changes.